

MATERIAL SAFETY DATA SHEET
Emergency contact number: +27 11 365-8639



Publication date: Jan 2002 Sheet number: BES/SA 0095 Revised on: 30 May 2007 Revision number: 4

1) IDENTIFICATION OF THE SUBSTANCE / PREPARATION

Commercial name: **TEMPO[®] CC**

Company identification: Bayer (Pty.) Ltd.
Reg. No. 1968/011192/07
P.O. Box 143, Isando 1600
SOUTH AFRICA

Company contact numbers: +27 11 365 8600
+27 11 921 5911

Tygerberg Poison Centre: +27 21 931 6129

2) COMPOSITION / INFORMATION ON THE INGREDIENTS

Composition: Hazardous Components: Cyfluthrin (pyrethroid) 0,25 g/kg
Propoxur (carbamate) 10,0 g/kg
Dichlorphos 5.0 g/kg

Trade / Commercial Name: Tempo[®] CC

Chemical Name: Aerosol dispensers, ≤ 1000ml, flammable, toxic

Chemical Family: Pyrethroids, Carbamates and Organophosphates

Un No.: 1950 Hazchem Code: 2[Y]e

ERG No.: 126 EAC: 12

3) HAZARD IDENTIFICATION OF THE PRODUCT

Flammable gas toxic. Vapours could cause dizziness or suffocation. Contact with liquid could cause frostbite. Fire could produce irritating or poisonous gases.

4) FIRST AID MEASURES

Skin contact: Wash affected area with copious amount of soap and water.

Eye contact: Flush out eyes with water and seek medical attention.

Ingestion: Call a doctor immediately.

Inhalation: IMMEDIATELY remove to fresh air. If not breathing give artificial respiration and call a doctor immediately. Do not give mouth-to-mouth without a mouthpiece. If breathing of victim is difficult administer oxygen for a maximum period of one hour.

5) FIRE FIGHTING MEASURES

Small fires: Dry chemical, CO₂, Halon.

Large fires: Water spray, fog or standard foam is recommended.

Move container from fire area if you can do it without risk. Cool containers that are exposed to flames with water from the side until well after the fire is out. Keep unnecessary people away; isolate hazard area and deny entry. Stay upwind; keep out of low areas. Positive-pressure self-contained breathing apparatus (SCBA) and structural fire fighter's protective clothing will provide limited protection.

6) ACCIDENTAL RELEASE MEASURES

Breathing apparatus for fire only. Contain (avoid spillage from entering drains or water courses).

Precautions: Restrict access to area. Provide adequate protective equipment and ventilation. Remove sources of heat and flame. Notify occupational and environmental authorities.

Spill or leak: Stop leak if you can do it without risk.

7) HANDLING AND STORAGE

Fire separation of at least 5 m or 4 hr fire resistant wall from the following classes is recommended: Flammable gases, flammable liquids, flammable solids, dangerous when wet, poison, corrosives.

Storage in the same room or space is prohibited with the following classes: Explosives, spontaneously combustibles, oxidizing agents, organic peroxides, radioactive. The rooms or spaces should be at least 10 m apart.

MATERIAL SAFETY DATA SHEET
Emergency contact number: +27 11 365-8639



8) EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure limits: No exposure limits established.

Controls: The control measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release. Use a non-sparking, grounded ventilation system separate from other exhaust ventilation systems. Exhaust directly to the outside. Supply sufficient replacement air to make up for air removed. Have a safety shower/eye wash fountain readily available in the immediate work area.

Personal protection during manufacture: If engineering controls and work practices are not effective in controlling this material, then wear suitable personal protection equipment, including chemical safety goggles & face shield, boots, imperious gloves, coveralls & respiratory protection. Have appropriate equipment available for use in emergencies.

Protective clothing during normal use: None required.

9) PHYSICAL AND CHEMICAL PROPERTIES

Cans containing hazardous liquids and gas propellants which discharge the contents through a valve system.

10) STABILITY AND REACTIVITY

Conditions to avoid: Risk of violent reaction.

11) TOXICOLOGICAL INFORMATION

This product contains pyrethroids, organophosphates and carbamates which could be toxic if ingested.

LD₅₀, oral (calculated): 5523,48 mg/kg

LD₅₀, dermal (calculated): 83 056,48 mg/kg

LD₅₀, inhalation (calculated): 55 196,47 mg/kg

12) ECOLOGICAL INFORMATION

No ecological problems are expected when the product is handled and used with due care.

13) DISPOSAL CONSIDERATIONS

Disposal method product: Do not puncture or incinerate the can.

Disposal method packaging: Disposal in accordance with local legal provisions.

14) TRANSPORT INFORMATION

UN Number: 1950

Class: 2.1

IMDG: 2013

Ems: 2-13

MFAG: 620

Subsidiary risk: •

Packing group: III

Declaration for land shipment: 1950 AEROSOLS, flammable

Declaration for sea shipment: 1950 AEROSOLS, flammable

Declaration for shipment by air: 1950 AEROSOLS, flammable

15) REGULATORY INFORMATION

Risk phrases: R 10, 36/37/38, 43.

Safety phrases: S 1/2, 23, 24.

WHO Classification: II (Moderately hazardous)

MATERIAL SAFETY DATA SHEET
Emergency contact number: +27 11 365-8639



16) OTHER INFORMATION

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

Consult the label for instructions for use.

THIS INFORMATION CONCERNS ONLY THE PRODUCT AS CONFORMING TO ITS SPECIFICATIONS AND LIMITED TO THE USES HEREIN STATED.

This sheet complements the technical sheet of use but does not replace it. The information contained on this sheet is based on knowledge of the product on the date of publication. It is given in good faith.

If the logo in this document is not in colour, this document is a photocopy and could be out of date.